Index of Authors

with the titles of papers

ALAMICHEL, C., see Najib, H.

ALANKO, S., see Anttila, R.

ALIJAH, A., and DUXBURY, G.: Renner-Teller and spin-orbit interactions between the ¹A₁, ¹B₁ and ³B₁ states of CH₂, 605

ALMARZA, N. G., ENCISO, E., ALONSO, J., BERMEJO, F. J., and ALVAREZ, M.: Monte Carlo simulations of liquid n-butane, 485

ALONSO, J., see Almarza, N. G.

ALVAREZ, M., see Almarza, N. G.

ANDERSSON, O., Ross, R. G., and Jezowski, A.: Chirality and the thermophysical properties of molecular solid phases under pressure: (+)- and (±)-camphor, 1065

ANDREW, E. R., and PEPLINSKA, B.: NMR study of solid cholesterol, 505

Anttila, R., Horneman, V.-M., and Alanko, S.: Ground-state constants A_0 and D_0^K of $^{12}\mathrm{CH_3I}$ from perturbation-allowed transitions, 991

ARMSPACH, J. P., see Grucker, D.

ATTAL-TRÉTOUT, B., BERLEMONT, P., and TARAN, J. P.: Invited Article. Three-colour CARS spectroscopy of the OH radical at triple resonance, 1

BAGGOTT, J. E., NEWNHAM, D. A., DUNCAN, J. L., MCKEAN, D. C., and BROWN, A.: C—H and C—D interbond coupling in CHD₂Cl, 715

BARANYAI, A., and EVANS, D. J.: New algorithm for constrained molecular-dynamics simulation of liquid benzene and naphthalene, 53

BARRAT, J.-L., and McDonald, I. R.: The role of molecular flexibility in simulations of water, 535

BARROW, R. F., see Bernard, A. BARROW, R. F., see Effantin, C.

BARTLETT, P., and HOWARD, B. J.: The rotational-vibrational spectrum of symmetric nonrigid triatomics in hyperspherical coordinates: the H₃⁺ molecule, 1001

Bensari-Zizi, N., see Najib, H.

BERLEMONT, P., see Attal-Trétout, B. BERMEJO, F. J., see Almarza, N. G.

Bernard, A., Effantin, C., D'Incan, J., Vergès, J., and Barrow, R. F.: Studies of the electronic states of the BaF molecule. Part II: The 5d(v = 0, 1, 2) states, 747

BERNARD, A., see Effantin, C.

Bersuker, G. I., Chibotaru, L. F., Polinger, V. Z., and Solonenko, A. O.: Effects of vibrational intercentre interaction in a trigonal two-centre system with twofold electronic degeneracy at each centre. Part I. Theoretical investigation, 1031

Bersuker, G. I., Chibotaru, L. F., Polinger, V. Z., and Solonenko, A. O.: Effects of vibrational intercentre interaction in a trigonal two-centre system with twofold electronic degeneracy at each centre. Part II. Experimental manifestations, 1045

BISSONNETTE, E. C., and McCourt, F. R. W.: A study of the single-moment, two-moment and multilevel descriptions of depolarized Rayleigh light scattering in molecular gases, 65

BORDÉ, J., see Palma, M. L.

Bosi, P., see Felici, R.

- BOUBLIK, T., and DIAZ PEÑA, M.: The equation of state of hard Gaussian-overlap fluids, 1115 BOWDEN, G. J., MARTIN, J. P. D., and SEPAROVIC, F.: Tensorial sets for coupled pairs of
- spin-½ nuclei, 581 Brown, A., see Baggott, J. E.
- Brown, J. M., see Towle, J. P.
- BUENKER, R. J., see Hirsch, G.
- BUENKER, R. J., see Jensen, P.
- BUENKER, R. J., see Petrongolo, C. BÜRGER, H., see Najib, H.
- CARRINGTON, T., Jr.: Perturbation theory for bending potentials, 757
- CHACHAM, H., and MOHALLEM, J. R.: Fast Hartree-Fock calculations by simulated dynamics.

 Part I: Formulation and a test application, 391
- CHAMBRON, J., see Grucker, D.
- CHIBOTARU, L. F., see Bersuker, G. I.
- CHIEW, Y. C.: Percus-Yevick integral-equation theory for athermal hard-sphere chains. Part I: Equations of state, 129
- CILLOCO, F., see Felici, R.
- CORY, D. G., MILLER, J. B., TURNER, R., and GARROWAY, A. N.: Multiple-pulse methods of ¹H N.M.R. imaging of solids: second-averaging, 331
- DAVIES, P. B., and MARTIN, P. A.: Diode-laser spectroscopy of a ³ II CO, 89
- DAVIS, C., see Powles, J. G.
- DE BOER, E., see Wang, D. M.
- DIAZ, L. E., see Frydman, L.
- Diaz Peña, M., see Boublik, T.
- DICKINSON, A. S., and HECK, E. L.: Transport and relaxation cross-sections for He-N₂ mixtures, 239
- DICKINSON, A. S., see Liu, W.-K.
- D'INCAN, J., see Bernard, A.
- D'INCAN, J., see Effantin, C.
- Dove, M. T.: Spontaneous strain energies associated with orientational order-disorder phase transitions, 425
- DUMITRESCO, B., see Grucker, D.
- DUNCAN, J. L., see Baggott, J. E.
- DUXBURY, G., see Alijah, A.
- EFFANTIN, C., BERNARD, A., D'INCAN, J., WANNOUS, G., VERGÈS, J., and BARROW, R. F.: Studies of the electronic states of the BaF molecule. Part I: Effective constants for seven states below 30 000 cm⁻¹, 735
- EFFANTIN, C., see Bernard, A.
- EMSLEY, J. W., LUCKHURST, G. R., and SMITH, S. W.: The pressure and temperature dependence of the orientational order of a biaxial solute dissolved in a nematic solvent, 967
- Enciso, E., see Almarza, N. G.
- Evans, D. J., see Baranyai, A.
- Evans, D. J., and Morriss, G. P.: Numerical test of the Kawasaki distribution function, 347
- EVANS, W. A. B., see Powles, J. G.
- FELDERHOF, B. U., see Kroh, H. J.
- FELICI, R., CILLOCO, F., and Bosi, P.: Neutron-diffraction measurements on liquid benzene,
 455
- FINNEY, J. L., see Turner, J.
- FISCHER, J., see Sokolowski, S.
- FOWLER, P. W., and STEINER, E.: Electric moments and field gradients in the van der Waals H₂ system, 377

- Francisco, J. S., and McDowell, J. J. W.: Toward the spectroscopic identification of silyvinylidene intermediate, 541
- FREY, J. G.: Three-particle hyperspherical coordinates: permutation-inversion symmetry properties, 145
- FRIEDMAN, H. L., see Raineri, F. O.
- FRYDMAN, B., see Frydman, L.
- FRYDMAN, L., OLIVIERI, A. C., DIAZ, L. E., FRYDMAN, B., SCHMIDT, A., and VEGA, S.: A ¹³C solid-state NMR study of the structure and the dynamics of the polymorphs of sulphanilamide, 563
- GAO, J., and WEINER, J. H.: Bond forces and pressure in diatomic liquids, 299
- GARROWAY, A. N., see Cory, D. G.
- GEIGER, A., see Kneller, G. R.
- GIRARD, C., and HACHE, F.: Dynamical properties of molecules physisorbed on a metal particle, 811
- GRICE, R., see Jarvis, R. D.
- GRUCKER, D., STEIBEL, J., MAUSS, Y., DUMITRESCO, B., ARMSPACH, J. P., and CHAMBRON, J.:

 Proton nuclear magnetic resonance relaxation rates in aqueous solutions of amino acids,
 903
- GUELACHVILI, G., see Najib, H.
- GUPTA, S., and McLAUGHLIN, E.: Conformational equation of state for fluids of chain molecules, 433
- HABASAKI, J.: Molecular-dynamics study of glass formation in the Li₂SiO₃ system, 513
- HACHE, F., see Girard, C.
- HAMMONDS, K. D., McDonald, I. R., and TILDESLEY, D. J.: Computational studies of the structure of carbon dioxide monolayers physisorbed on the basal plane of graphite, 175
- HARADA, M., see Kinoshita, M.
- HECK, E. L., see Dickinson, A. S.
- HERMAN, M., and HUET, T. R.: Vibrational couplings in acetylene (Corrigendum), 545
- HIROSHI KOBAYASHI, see Hitoshi Kimura
- HIROYASU NOMURA, see Masaharu Ohba
- HIRSCH, G., BUENKER, R. J., and PETRONGOLO, C.: Ab initio study of NO₂. Part II: Non-adiabatic coupling between the two lowest ²A' states and the construction of a diabatic representation, 835
- HIRSCH, G., see Jensen, P.
- HIRSCH, G., see Petrongolo, C.
- HITOSHI KIMURA, YOUKOH KAIZU, and HIROSHI KOBAYASHI: Magnetic circular dichroism in the charge-transfer-to-solvent excited states of iodide ion in aqueous solution, 891
- HOLLAND, J. K., NEWNHAM, D. A., and MILLS, I. M.: Vibrational overtone spectra of monofluoroacetylene: a preliminary report, 319
- HORNEMAN, V.-M., see Anttila, R.
- HOWARD, B. J., see Bartlett, P.
- HUET, T. R., see Herman, M.
- HUIS, L., POUWELS, P. J. W., and MACLEAN, C.: The quadrupole coupling tensor of 95Mo in mesitylene molybdenum tricarbonyl, 879
- JARVIS, R. D., LAMING, G. J., and GRICE, R.: Angular distributions of reactive scattering arising from persistent complexes by transverse dissociation of symmetric-top transition states, 667
- JENSEN, P., BUENKER, R. J., HIRSCH, G., and RAI, S. N.: An ab initio calculation of the rotational-vibrational energies in the electronic ground state of NH₂, 443
- JEZOWSKI, A., see Andersson, O.

KALEDIN, L. A., and SHENYAVSKAYA, E. A.: New electronic transitions in the YF spectrum; energies of the $a^3\Delta$ and $b^3\Pi$ states, 107

KANG, E. T., NEOH, K. G., and TAN, K. L.: XPS studies of charge-transfer interactions in some pyridine: organic-acceptor complexes, 1057

KINOSHITA, M., HARADA, M., and SHIOI, A.: Characteristics of solutions of the HNC equation applied to anion-cation systems interacting through a strong long-range Coulomb potential, 1121

KJELLANDER, R., and SARMAN, S.: A study of anisotropic pair distribution theories for Lennard-Jones fluids in narrow slits. Part I. Density profiles and surface interactions, 215 KNELLER, G. R., and GEIGER, A.: Molecular-dynamics studies and neutron-scattering experi-

ments on methylene chloride. Part II: Dynamics, 465

Koichiro Nakanishi, see Masaaki Takamiya

KROH, H. J., and FELDERHOF, B. U.: The Hall effect in dilute ionic solutions, 119

LAMING, G. J., see Jarvis, R. D.

LEITNER, A.: Second-harmonic generation in metal island films consisting of oriented silver particles of low symmetry, 197

LIU, W.-K., and DICKINSON, A. S.: Classical limits of generalized cross-sections for atommolecule systems, 253

LUCKHURST, G. R., see Emsley, J. W.

McCourt, F. R. W., see Bissonnette, E. C.

McDonald, I. R., see Barrat, J.-L.

McDonald, I. R., see Hammonds, K. D.

McDowell, J. J. W., see Francisco, J. S.

MCKEAN, D. C., see Baggott, J. E.

McLaughlin, E., see Gupta, S.

MACLEAN, C., see Huis, L.

MADDEN, P. A., see Remler, D. K.

MARTIN, J. P. D., see Bowden, G. J.

MARTIN, P. A., see Davies, P. B.

MASAAKI TAKAMIYA, and KOICHIRO NAKANISHI: Density-functional approach to twodimensional classical fluids, 767

MASAHARU OHBA, and HIROYASU NOMURA: The second dielectric virial coefficient of asymmetrical polar hard dumb-bell fluids, 729

MATÍAS, M. A., and VARANDAS, A. J. C., Atom-molecule dispersion-energy coefficients and their dependence on the intramolecular coordinate: A-H₂ systems, 623

Mauss, Y., see Grucker, D.

MEIJERS, S. M., see Wang, D. M.

MILFELD, K. F., see Mohan, M.

MILLER, J. B., see Cory, D. G.

MILLS, I. M., see Holland, J. K.

MOHALLEM, J. R., see Chacham, H.

MOHAN, M., MILFELD, K. F., and WYATT, R. E.: A new general R-matrix theory of collinear reactions and its application to the H + H₂ reaction, 1085

MONSON, P. A.: The properties of inhomogeneous square-well mixtures in one dimension, 401 MOREAU, M., see Simonin, J. P.

Morriss, G. P., see Evans, D. J.

MURAD, S., see Powles, J. G.

Najib, H., Bensari-Zizi, N., Bürger, H., Guelachvili, G., and Alamichel., C.: Anharmonic resonances between the upper rovibrational levels of the $v_2 + v_4^{\pm 1}$, $v_2 + 3v_6^{\pm 1}$, $v_1 + v_5^{\pm 1}$, $3v_5^{\pm 1}$, $v_4^{\mp 1} + v_5^{\mp 1}$, $v_5^{\mp 1} + 3v_6^{\mp 1}$, $v_5^{\pm 1} + 3v_6^{\mp 3}$ and $2v_3 + 3v_6^{\pm 1}$ infrared bands of CH₃³⁵Cl studied in a high-resolution FTIR spectrum from 4250 to 4600 cm⁻¹, 849

NEOH, K. G., see Kang, E. T.

- NEWNHAM, D. A., see Baggott, J. E. NEWNHAM, D. A., see Holland, J. K.
- OLIVIERI, A. C., see Frydman, L ORZA, J. M., see Santos, J.
- PALMA, M. L., and BORDÉ, J.: Theoretical study of the rovibrational dependence of nuclear hyperfine interactions in the v₃ band of SF₆, 863
- PATEY, G. N., see Talbot, J.
- PEPLINSKA, B., see Andrew, E. R.
- PERERA, A., see Talbot, J.
- Petrongolo, C., Hirsch, G., and Buenker, R. J.: Diabatic representation of the \$\tilde{A}^2A_1/\tilde{B}^2B_2\$ conical intersection in NH2, 825
- PETRONGOLO, C., see Hirsch, G.
- PIASECKI, J., see Szamel, G.
- POLINGER, V. Z., see Bersuker, G. I.
- POUWELS, P. J. W., see Huis, L.
- POWLES, J. G., DAVIS, C., EVANS, W. A. B., and MURAD, S.: Diffusion in vibrating-molecule liquids. 529
- PYKA, J.: Clustering of rovibrational energy levels in the highly excited H₂S molecule, 547
- РҮҮККÖ, P., and YONGFANG ZHAO: Ab initio study of bonding trends 6. The X≡Y and X=Y=Z species containing phosphorus, 701
- RAL S. N., see Jensen, P.
- RAINERI, F. O., and FRIEDMAN, H. L.: Determination of the mutual-diffusion coefficient of a binary mixture by non-equilibrium molecular dynamics viewed as a sedimentation experiment, 209
- REMLER, D. K., and MADDEN, P. A.: Invited Article. Molecular dynamics without effective potentials via the Car-Parrinello approach, 921
- ROBGGEN, I.: An analysis of hydrogen-bonded systems: $(HF)_2$, $(H_2O)_2$ and $H_2O \cdots HF$, 353 Ross, R. G., see Andersson, O.
- SAMBORSKI, A., see Stecki, J.
- SANTOS, J., and ORZA, J. M.: Intensity parameters for the Raman trace and anisotropic scattering of methyl iodide; 645
- SARMAN, S., see Kjellander, R.
- SCHERWINSKI, K.: Two approximations for the classical triplet distribution function, 797
- SCHMIDT, A., see Frydman, L.
- SEPAROVIC, F., see Bowden, G. J.
- SHENYAVSKAYA, E. A., see Kaledin, L. A.
- SHIOI, A., see Kinoshita, M.
- SIEPMANN, J. I.: A method for the direct calculation of chemical potentials for dense chain systems, 1145
- SIMONIN, J. P., and MOREAU, M.: On the kinetics of diffusive liquid-liquid interfacial transport: mean-passage-time solution and the chemical picture, 265
- SMITH, S. W., see Emsley, J. W.
- SMOLKA, K.-P., see Zimmermann, W.
- SOKOLOWSKI, S., and FISCHER, J.: Classical multicomponent fluid structure near solid substrates: Born-Green-Yvon equation versus density-functional theory, 1097
- SOLONENKO, A. O., see Bersuker, G. I.
- SOPER, A. K., see Turner, J.
- STECKI, J., SAMBORSKI, A., and TOXVAERD, S.: Henry constant of large solutes by simulation, 985
- STEIBEL, J., see Grucker, D.

STEINER, E., see Fowler, P. W.

SZAMEL, G., and PIASECKI, J.: Depolarized interaction-induced light scattering: a kinetic-theory approach, 783

TAKASHI NAGATA, TAMOTSU KONDOW, and ZARE, R. N.: Fluorescence polarization of a diatomic fragment following photodissociation of a triatomic precursor, 1159

TALBOT, J., PERERA, A., and PATEY, G. N.: A comparison between molecular-dynamics and theoretical results for the structure of fluids of hard ellipsoids, 285

TAMOTSU KONDOW, see Takashi Nagata

TAN, K. L., see Kang, E. T.

TARAN, J. P., see Attal-Trétout, B.

TILDESLEY, D. J., see Hammonds, K. D.

Towle, J. P., and Brown, J. M.: The infrared spectrum of the GeH radical by laser magnetic resonance, 161

TOXVAERD, S., see Stecki, J.

TURNER, J., SOPER, A. K., and FINNEY, J. L.: A neutron-diffraction study of tetramethylammonium chloride in aqueous solution, 679

TURNER, R., see Cory, D. G.

URBAN, W., see Zimmermann, W.

VARANDAS, A. J. C., see Matías, M. A. VEGA, S., see Frydman, L. VERGÈS, J., see Bernard, A. VERGÈS, J., see Effantin, C.

WANG, D. M., MEIJERS, S. M., and DE BOER, E.: Magnetic behavour of Fe(CN)₆³⁻ in surrounding of low symmetry studied by EPR, 1135

WANNOUS, G., see Effantin, C.

WEINER, J. H., see Gao, J.

WYATT, R. E., see Mohan, M.

YONGFANG ZHAO, see Pyykkö, P. YOUKOH KAIZU, see Hitoshi Kimura

ZARE, R. N., see Takashi Nagata

ZIMMERMANN, W., SMOLKA, K.-P., and URBAN, W.: Detection of the GeD(X ²Π) vibration-rotation spectrum by laser magnetic resonance, 167

